

BICS® BASIC Vehicle screen instructions

Part 1

READ THE FOLLOWING INSTRUCTIONS AND WARNINGS TO AVOID SERIOUS INJURY

The BICS® BASIC is used as a protective measure against direct transfer of bodily fluids, such as sneezing, coughing and breathing. The BICS® BASIC will greatly reduce the chance on infection, but does not completely eliminate the chance of infection.

WARNING: Always pay attention to road and traffic conditions when driving.

WARNING: The BICS® BASIC may obstruct the view while driving. The BICS® BASIC may glint by light sources, such as the sun, other cars lights as well as interior lights. Always make sure there is enough visibility while driving.

WARNING: The BICS® BASIC is to be assembled by adults only.

The BICS® BASIC is developed for use inside vehicles, without influence of wheather conditions and UV light. The material of the BICS® is sensitive to UV-light and can slightly change color (yellowish). It is important to only use the BICS® BASIC inside vehicles and that they are properly stored in a dry place when not in use. The BICS® BASIC should not be exposed to UV radiation and wheather influences.

The BICS® BASIC can be cleaned and/or disinfected with most common cleaning agents up to a concentration of 10 % at room temperature. Always ask the vendor of your BICS® BASIC screen whether the cleaning agent and the concentration you have chosen is applicable to the material of the BICS® BASIC! In case you use a cleaning agent, not applicable to the shield, it can irreversibly damage the screen such that the visibility and transparency is reduced!. This can lead to dangerous traffic situations!

When cleaning the BICS® BASIC inside the vehicle, be careful not to allow cleansing agent to leak into the vehicle.

Part 2 >>

BICS® BASIC Vehicle screen instructions

Part 2

READ AND FOLLOW ALL SAFETY INSTRUCTIONS

- This is a car screen – not a toy! To avoid risk of fire, burns and personal injury, it should not be placed where small children can reach it.
- Do not mount or place near gas or electric heaters, fireplaces, candles, or other similar sources of heat.
- Do not secure product with staples or nails or place on sharp hooks or nails.
- Do not use this product for other than its intended purpose.
- Do not hang ornaments or other objects on the product.
- Avoid contact with hot or sharp objects.
- This is not a lifesaving device.
- Not for use by children.
- Do not use this product under the influence of alcohol or drugs.
- Do not use the car screen after an impact or accident.
- Do not use tools to install the screen, the required fasteners are included.

Make sure that the BICS® BASIC does not interfere with airbags or other safety equipment or other safety requirements.

Do not use the BICS® BASIC at home. It has not been designed for home use and should only be used in your vehicle. Never use the car screen without fastening the product securely, and never attempt to use it without fastening into the vehicle. Do not add anything to the screen or modify it in any way.


The BICS® BASIC must not be used without fastening to the vehicle, as shown in the users manual. Always use the fasteners that are delivered with the BICS® BASIC. Please consult the users manual before use.

BICS® BASIC Users manual


Supplies

- 1x BICS BASIC screen
- 1x Black tube
- 6x Velcro 65 cm

- 1** Open box
Note: Do not use knife or other sharp objects to open the box. The content is very fragile.




- 2** Unfold on clean surface. Lace the black tube through the holes in the perimeter of the screen. Start with the second hole. The screen film might strip up along the tube, but this will be straightened in the next step.




- 3** Pull the screen further over the flexible tube to the other side and position the other end of the screen in the notch of the flexible tube as well.


Like this, the screen is fixed and more or less straightened along the tube.




- 4** Fix the velcro straps around the tube at three spots at the right and left side of the screen (6 velcro straps in total).



- 5** Open both backdoors of your car. Fasten the velcro straps around the B-pillars of the car, after which you can close the doors again.



- 6** Have a safe trip!



BICS® BASIC Users manual

Check out the instructionvideo at
www.bics-screen.com (BICS BASIC)
or scan this QR-code.

