

# BICS® Vehicle screen instructions

## Part 1

### READ THE FOLLOWING INSTRUCTIONS AND WARNINGS TO AVOID SERIOUS INJURY

The BICS® is used as a protective measure against direct transfer of bodily fluids, such as sneezing, coughing and breathing. The BICS® will greatly reduce the chance on infection, but does not completely eliminate the chance of infection.

**WARNING:** Always pay attention to road and traffic conditions when driving.

**WARNING:** The BICS® may obstruct the view while driving. The BICS® may glint by light sources, such as the sun, other cars lights as well as interior lights. Always make sure there is enough visibility while driving.

**WARNING:** The BICS® is to be assembled by adults only.

**Inflation:** For best results, inflate by using a low pressure air pump (such as a Bicycle pump). Remove the air valve cap and insert the appropriate attachment of your inflation device. Inflate the tube to 100% capacity or until almost firm. Close air valve by attaching the cap.

**WARNING:** Do NOT over inflate tube, it may burst.

The BICS® is developed for use inside vehicles, without influence of wheather conditions and UV light. The material of the BICS® is sensitive to UV-light and can slightly change color (yellowish). It is important to only use the BICS® inside vehicles and that they are properly stored in a dry place when not in use. The BICS® should not be exposed to UV radiation and wheather influences.

The BICS® can be cleaned and/or disinfected with most common cleaning agents up to a concentration of 10 % at room temperature. Always ask the vendor of your BICS® screen whether the cleaning agent and the concentration you have chosen is applicable to the material of the BICS®! In case you use a cleaning agent, not applicable to the shield, it can irreversibly damage the screen such that the visibility and transparency is reduced!. This can lead to dangerous traffic situations!

When cleaning the BICS® inside the vehicle, be careful not to allow cleansing agent to leak into the vehicle.

Part 2 >>

# BICS® Vehicle screen instructions

## Part 2

### READ AND FOLLOW ALL SAFETY INSTRUCTIONS

- This is an inflatable car screen – not a toy! To avoid risk of fire, burns and personal injury, it should not be placed where small children can reach it.
- Do not mount or place near gas or electric heaters, fireplaces, candles, or other similar sources of heat.
- Do not secure product with staples or nails or place on sharp hooks or nails.
- Do not use this product for other than its intended purpose.
- Do not hang ornaments or other objects on the product.
- Store at room temperature, extreme temperatures can cause the inflatable to become defective.
- Maximum environment temperature when inflated is 50°C/122°F, if used in higher temperatures the inflatable can become defective or, in worst case, even catch fire.
- Avoid contact with hot or sharp objects.
- This is not a lifesaving device.
- Not for use by children.
- Do not use this product under the influence of alcohol or drugs.
- Do not use the car screen after an impact or accident.
- Do not use tools to install the screen, the required fasteners are included.

### Additional warnings:

- DO NOT over inflate! Product should be firm, but allow a small depression when pushed on with your hand.
- DO NOT drag across concrete, pavement or other rough surfaces. Unfold inflatable flat on a clean surface free of debris and sharp objects.
- DO NOT store in direct sunlight.
- DO NOT inflate with high-pressure air compressor.

### WARNING: TUBE CAN EXPLODE IF OVER INFLATED


Make sure that the BICS® does not interfere with airbags or other safety equipment or other safety requirements.

Do not use the BICS® at home. It has not been designed for home use and should only be used in your vehicle. Never use the car screen without fastening the product securely, and never attempt to use it without fastening into the vehicle. Do not add anything to the screen or modify it in any way.


The BICS® must not be used without fastening to the vehicle, as shown in the users manual. Always use the fasteners that are delivered with the BICS®. Please consult the users manual before use.

# BICS® Users manual

- 1** Open box  
Note: Do not use knife or other sharp objects to open the box. The content is very fragile.




- 2** Unfold inflatable flat on clean surface. Inflate BICS® screen using a low pressure air pump or a bicycle pump.




- 3** Fit the inflated screen in vehicle with valve at the bottom right.  
(Seen from the back seat -looking forward)




2x Velcro straps




5x D-rings




1x Valve




- 4** Fasten inflated screen with included fasteners. Fasteners are adjustable in length using the robe stopper. Find the proper position to fixate the shield, such that it is nicely tensioned.



Clip




D-rings




Fasteners

max 30 cm

- 5** Fasten velcro straps around headrest



- 6**



Have a safe trip!